

FLOW METERS FOR COMPRESSED AIR AND GASES

We measure your air/gas consumption





WELCOME TO FRESH IDEAS

Flow measurement is one of the key factors in any industries to ensure energy efficiency and associated cost reduction to stay ahead of competition.

ENERGY EFFICIENCY

CONSUMPTION MONITORING

LEAK DETECTION

PROCESS EFFICIENCY

COST REDUCTION



FLOW METERS for any application

Flow meters are our passion, we provide solutions which fits your needs. No matter if you need a compact flow meter for measurements on the spot or an easy to install, long term stable flow meter. A flow meter for wet and dirty air or you need one for explosive and harsh environments.

SUTO iTEC has the right flow meter which fits your needs.

SELECTION TABLE

Application / Medium to measure	Installation Point	Sensor Model	
		Insertion Type	Inline Type
Dry Compressed Air / Dry Gas	Main header	S 401	S 421
	Point-Of-Use		S 415/S 418/S 421
	Big pipes (>DN65)	S 401/S 450	
	Outdoor	S 450	S 452
	Hazardous environment (ATEX / IECEx)	S 450	S 452
Wet Compressed Air / Wet Gas		S 430	
Vacuum Pumps (Air)			S 419
Bi-directional Flow Measurement		S 401/S 430/S 450	
Small Flow Rates			S 415/S 418



S 401 / S 421

FLOW AND CONSUMPTION SENSOR FOR COMPRESSED AIR AND GASES



SCAN ME FOR MORE INFORMATION

S 401
S 421



Features
Thermal mass flow – measures flow and total consumption
Isolated Analog and Pulse / Modbus/RTU output
Flexible installation under pressure, pipes sizes 1" ... 20"
S 421: DN15 ... DN80 and optional flow conditioner
2 Calibration Curves can be saved to the internal memory
S 421: Sensor is calibrated in its measuring section
Can be used in almost any technical gas

SCAN ME FOR MORE INFORMATION

S 450
S 452



S 450 / S 452

FLOW AND CONSUMPTION SENSOR FOR COMPRESSED AIR AND GASES (ATEX/EX)

Features
Thermal mass flow – measures flow and total consumption
Rugged industrial enclosure for outdoor and hazardous environments
ATEX/IECEX certification as option
Isolated Analog and Pulse / Modbus/RTU / HART output
All parts which are in contact with the medium are stainless steel
S 452: Inline version with measuring section DN15 ... DN80
No moving parts – laser welded sensor elements
S 452: Measuring sections EN 1092-1 / ANSI-Flange or NPT-/ R-thread



S 430

FLOW AND CONSUMPTION SENSOR FOR COMPRESSOR PERFORMANCE TESTS AND FAD-MEASUREMENTS



SCAN ME FOR MORE INFORMATION

S 430



Features
Pitot tube principle for wet air application
Insertion type sensor – flexible installation under pressure
No mechanical wear parts
Isolated Analog and Pulse / Modbus/RTU / output
Pipe diameters from 1" ... 20"
Compressor-FAD-Measurement



S 415

FLOW AND CONSUMPTION SENSOR FOR COMPRESSED AIR AND GASES FOR POINT OF USE APPLICATIONS



SCAN ME FOR MORE INFORMATION

S 415



Features
Thermal mass flow – measures flow and total consumption
Economic flow sensor for point of use measurement
Isolated Analog and Pulse / Modbus/RTU output
Available in DN8, DN15, DN20 and DN25, G inner thread
Integrated flow conditioner eliminates straight inlet requirements



S 418 / S 419

FLOW AND CONSUMPTION SENSOR FOR COMPRESSED AIR AND VACUUM APPLICATIONS

Features
Thermal mass flow – measures flow, total consumption and pressure
High accuracy
Data logger integrated
S 419: Calculates actual flow for vacuum pumps
Isolated Analog and Pulse / Modbus/RTU



Flow measurement is one of the key factors in any industries to ensure energy efficiency and associated cost reduction to stay ahead of competition.

SUTO iTEC
your partner in measurement

SUPPORT
PARTNERSHIP
RELIABLE
INNOVATIVE
ACCURATE

EUROPEAN OFFICE	CHINA OFFICE	ASIA / PACIFIC OFFICE
<p>SUTO iTEC GmbH</p> <p>Werkstr. 2 79426 Buggingen Germany Fon: +49(0) 7631 936 889 0 Fax: +49 (0) 7631 936 889 19 Mail: sales@suto-itec.com</p>	<p>SUTO iTEC (China) Co. Ltd</p> <p>D3 Building, Unit A, 11/F, TCL International E City 1001 Zhongshanyuan Road, Nanshan Shenzhen, China Tel: +86 (0) 755 8619 3164 Fax: +86 (0) 755 8619 3165 Email: sales@suto-itec.cn</p>	<p>SUTO iTEC (ASIA) Co. Limited</p> <p>Room 10, 6/F, Block B, Cambridge Plaza 188 San Wan Road, Sheung Shui, N.T. Hong Kong Tel: +852 2328 9782 Fax: +852 2671 3863 Email: sales@suto-itec.asia</p>

